

This page lists all Tinderbox keyboard shortcuts ordered by the action key used with all variants (Cmd, Opt, etc.) grouped together.

Abbreviations used:

* Cmd - Command ⌘

* Opt - Option (Alt) ⌥

* Ctrl - Control ⌘

* Shift ⇧

* Esc - Escape ⌫

* Fn - Function

Changes v5/v6:

* **Red** text - v5 only (or mapped to new feature/menu caption in v6).

* **Blue** text - v6 uses new mapping or menu title.

* **Green** text - new/changed in v6.

A+[Cmd] - Select All

A+[Ctrl] - Scroll to top of window (Home)

A+[Cmd]+[Shift] - Create Agent

A+[Cmd]+[Opt]+[Ctrl] - Deselect All (hold Cmd+Opt+Ctrl to see)

A+[Cmd]+[Opt] - Attribute Browser (change current tab's main view type)

B+[Cmd] - Bold

C+[Cmd] - Copy

C+[Ctrl] - Rename (Ctrl+C == Enter == Fn+Return)

C+[Ctrl] - Enter/Leave Edit-in-place mode (selected note in main view pane)

C+[Cmd]+[Opt] - New Chart View

C+[Cmd]+[Opt] - Copy Style

C+[Cmd]+[Shift] - Copy view picture

C+[Cmd]+[Shift] - Copy View As Image

D+[Cmd] - Duplicate

D+[Ctrl] - Scroll to bottom of window (End)

D+[Cmd]+[Ctrl]+Selection - show Dictionary pop-up (\$Text and Edit-in-Place)

E+[Cmd] - Use Selection for Find

E+[Cmd]+[Opt] - New Explorer View

E+[Cmd]+[Opt] - Explode

F+[Cmd] - Find

F+[Cmd]+[Opt] - Add a footnote as a sibling

F+[Cmd]+[Opt] - Find and Replace

F+[Cmd]+[Shift] - Add a Footnote as a child

G+[Cmd] - Find Next

G+[Cmd]+[Shift] - Find Next

H+[Cmd] - Hide Tinderbox

H+[Cmd]+[Opt] - New HTML View

H+[Cmd]+[Opt] - Hide others

H+[Cmd]+[Shift] - Export to HTML

I+[Cmd] - Italic

I+[Ctrl] - Insert tab

I+[Cmd] - Get Info

I+[Cmd]+[Opt] - Get Info

I+[Cmd]+[Shift] - Hypertext Status

J+[Cmd] - Jump to Selection

K+[Cmd] - Create Note

K+[Ctrl] - Scroll Page Up

K+[Cmd]+[Shift] - Show/Hide Key Attributes (selected item in main view)

L+[Cmd] - Make Alias

L+[Ctrl] - Scroll Page Down

L+[Cmd]+[Opt] - Locate

L+[Cmd]+[Opt] - Browse Links

L+[Cmd]+[Ctrl] - Create Link

L+[Cmd]+[Shift] - Create Web Link

L+[Opt]+[Ctrl] - Create Web Link

L+[Cmd]+[Shift] - Park Link

M+[Cmd] - Minimize

M+[Ctrl] - View windows - Create new note

M+[Ctrl] - Text window - Insert line return

M+[Cmd]+[Opt] - New Map View

M+[Cmd]+[Opt] - Map (change current tab's main view type)

N+[Cmd] - New (TBX Document)

N+[Cmd]+[Shift] - New Window

N+[Cmd]+[Opt] - New Nakakoji View

O+[Cmd] - Open (TBX Document)

O+[Cmd]+[Opt] - New Outline View

O+[Cmd]+[Opt] - Outline (change current tab's main view type)

P+[Cmd] - Print

P+[Cmd]+[Opt] - Page Setup

P+[Cmd]+[Shift] - Path View

P+[Cmd]+[Shift] - Plain (text windows only)

P+[Cmd]+[Shift] - Page Setup

P+[Cmd]+[Ctrl] - Ping Now

Q+[Cmd] - Quit Tinderbox

Q+[Cmd]+[Opt] - Quit and keep Windows (hold Cmd+Opt+Ctrl to see)

R+[Cmd] - Show Original

R+[Cmd]+[Shift] - Show Original In New Tab

R+[Cmd]+[Opt] - Roadmap

R+[Cmd]+[Opt] - Chart (change current tab's main view type)

R+[Cmd]+[Ctrl] - Show Ruler

R+[Cmd]+[Opt]+[Ctrl] - Roadmap

S+[Cmd] - Save

S+[Cmd]+[Opt] - Save As

S+[Cmd]+[Shift] - Duplicate (document)

S+[Cmd]+[Opt]+[Shift] - Save As (hold Cmd+Opt+Ctrl to see)

T+[Cmd] - Show/Hide Fonts

T+[Cmd]+[Opt] - New Timeline View (was Treemap pre v5.6.0)

T+[Cmd]+[Opt]+[Ctrl] - Timeline (change current tab's main view type)

T+[Cmd]+[Ctrl] - Show/hide sidebar

T+[Cmd]+[Shift] - Show/hide Toolbar

T+[Cmd]+[Shift] - Standard Size

T+[Cmd]+[Opt]+[Shift] - New Treemap View (from v5.6.0)

U+[Cmd] - Underline

V+[Cmd] - Paste

V+[Cmd]+[Opt] - Paste Style

V+[Cmd]+[Opt]+[Shift] - Paste and Match Style

W+[Cmd] - Close Window

W+[Cmd]+[Opt] - Common Words

W+[Cmd]+[Opt] - Close All (hold Cmd+Opt+Ctrl to see)

W+[Cmd]+[Ctrl] - Post to Weblog

W+[Cmd]+[Shift] - Close current TBX file (hold Shift to see in menu)

X+[Cmd] - Cut

X+[Cmd]+[Opt] - Text window

X+[Cmd]+[Opt] - Text window - open current \$Text as tear-off window

Y+[Cmd] - Redo (last event)

Y+[Cmd]+[Shift] - History

Z+[Cmd] - Undo (last event)

Z+[Cmd]+[Shift] - Redo (last event)

Z+[Cmd] - Edit-in-place mode: exit without committing changes

1+[Cmd] - Quickstamp

1+[Cmd] - Inspector

1+[Cmd]+[Ctrl] - \$Text pane - Set selected text Red

2+[Cmd] - Attributes dialog

2+[Cmd] - Quickstamp (Document Inspector, Quickstamp pane)

2+[Cmd]+[Ctrl] - \$Text pane - Set selected text Green

3+[Cmd] - Network

3+[Cmd]+[Ctrl] - \$Text pane - Set selected text Blue

4+[Cmd] - Similar Notes

4+[Cmd] - Text Only (hide main view pane)

4+[Cmd]+[Ctrl] - \$Text pane - Set selected text Warm Gray

4+[Cmd]+[Ctrl] - \$Text pane - Set selected text Gray

5+[Cmd] - View and Text (show both panes)

5+[Cmd]+[Ctrl] - \$Text pane - Set selected text Black

6+[Cmd] - View Only (hide text pane)

7+[Cmd]+[Ctrl] - \$Text pane - Set selected text to doc default size (\$TextFontSize)

8+[Cmd] - Document Preferences

8+[Cmd] - Document Settings

9

0+[Cmd]+[Ctrl] - \$Text pane - Set selected text normal colour (\$TextColor)

0+[Cmd] - Standard Scale

[/]+[Cmd] - Browse Links

[/]+[Cmd] - Insert Short Date (in Note text)

[/]+[Cmd]+[Opt] - Insert Short Date and Time (in Note text)

[/]+[Cmd]+[Shift] - Open Help Menu (i.e. [Cmd]+[?]) - main views only

[/]+[Cmd]+[Shift] - Open Help Menu (i.e. [Cmd]+[?])

[:]+[Cmd] - Show Spelling and Grammar

[;]+[Cmd] - Check Spelling

[;]+[Cmd] - Check Document Now (for spelling)

[,]+[Cmd] - Tinderbox Preferences

[`]+[Cmd] - Send Behind (Cycle Open Windows)

[`]+[Cmd]+[Shift] - Send Behind, reverse order (Cycle Open Windows)

- (use hyphen key or number pad minus key)

[-]+[Cmd] - Shrink

[-]+[Cmd]+[Ctrl] - New Separator (Outline view only)

[-]+[Cmd]+[Ctrl] - New Adornment (Map view only)

[-]+[Cmd]+[Shift] - Strikethrough

[.]+[Cmd] - Cancel Export (during HTML or text export)

[?]+[Cmd] - Open Help menu (= [Cmd]+[Shift]+[/])

[=]+[Cmd] - Magnify

[=]+[Cmd]+[Ctrl] - Update Now (Agents)

[<]+[Cmd] - Go Back

[<]+[Cmd] - Shift (text selection) Left

[<]+[Cmd]+[Opt] - Previous Tab

[>]+[Cmd] - Navigate

[>]+[Cmd] - Shift (text selection) Right

[>]+[Cmd]+[Opt] - Next Tab

[{]+[Cmd] - Align Left

] +[Cmd] - Align Right

[|]+[Cmd] - Align Center

[Spacebar] - Explorer - Focus on text pane

[Spacebar] - Major/minor views except Explorer - Open note Text window

[Spacebar] - Main view - Set cursor focus in \$Text in text pane

[Spacebar]+[Opt] - Close current link before next text

[Left Arrow] - Select Previous Note - Outline Order (Map)

[Left Arrow] - Select Parent (Outline & Chart)

[Left Arrow] - Select Previous Sibling (Treemap)

[Left Arrow]+[Cmd] - Collapse (Outline & Chart)

[Left Arrow]+[Cmd] - Move cursor to start of line (in \$Text pane)

[Left Arrow]+[Cmd]+[Shift] - Extend selection to start of line (in \$Text pane)

[Left Arrow]+[Opt] - Move cursor to start of current word, then start of previous word (in \$Text pane)

[Left Arrow]+[Cmd]+[Opt] - Collapse (Outline & Chart)

[Right Arrow] - Select Next Note - Outline Order (Map)

[Right Arrow] - Select First Child (Outline & Chart)

[Right Arrow] - Select Next Sibling (Treemap)

[Right Arrow]+[Cmd] - Expand (Outline & Chart)

[Right Arrow]+[Cmd] - Move cursor to end of line (in \$Text pane)

[Right Arrow]+[Cmd]+[Shift] - Extend selection to end of line (in \$Text pane)

[Right Arrow]+[Cmd]+[Ctrl] - Expand Horizontally (Map view only)

[Right Arrow]+[Opt] - Move cursor to end of current word, then end of next word (in \$Text pane)

[Right Arrow]+[Cmd]+[Opt] - Expand (Outline & Chart)

[Up Arrow] - Expand View (Map)

[Up Arrow] - Select Previous (Visible) Note (Outline & Chart)

[Up Arrow] - Select First (Visible) Note (Outline, if no note selected)

[Up Arrow] - Select Parent (Treemap)

[Up Arrow]+[Cmd] - Move Note Up (Chart/Outline/Treemap)

[Up Arrow]+[Cmd] - Expand View (Map)

[Up Arrow]+[Cmd]+[selection] - Expand View (other view types)

[Up Arrow]+[Ctrl] - Scroll Page Up

[Up Arrow]+[Shift] - Extend Outline view selection upwards by one note (v5.7.0)

[Up Arrow]+[Cmd]+[Opt] - Expand view

[Up Arrow]+[Cmd]+[Opt] - Move selection up in main view (when focus is in text pane)

[Up Arrow]+[Cmd]+[Shift] - Move To Front

[Up Arrow]+[Cmd]+[Shift] - Move To First

[Up Arrow]+[Cmd] - Move cursor to start of \$Text (in \$Text pane)

[Up Arrow]+[Cmd]+[Shift] - Extend selection to start of \$Text (in \$Text pane)

[Up Arrow]+[Opt] - Move cursor to beginning of current paragraph, then beginning of previous paragraph (in \$Text pane)

[Down Arrow] - Drill Down (Map - with a note icon selected)

[Down Arrow] - Select Next (Visible) Note (Outline & Chart)

[Down Arrow] - Select First (Visible) Note (Outline, if no note selected)

[Down Arrow] - Select First Child (Treemap)

[Down Arrow]+[Cmd] - Move Note Down (Chart/Outline/Treemap)

[Down Arrow]+[Cmd] - Map view + selection - Drill Down

[Down Arrow]+[Ctrl] - Scroll Page Down

[Down Arrow]+[Shift] - Extend Outline view selection downwards by one note (v5.7.0)

[Down Arrow]+[Cmd]+[Opt] - Drill Down (Map)

[Down Arrow]+[Cmd]+[Opt] - Move selection down in main view (when focus is in text pane)

[Down Arrow]+[Cmd]+[Ctrl] - Expand Vertically (Map view only)

[Down Arrow]+[Cmd]+[Shift] - Send To Back

[Down Arrow]+[Cmd]+[Shift] - Send To Last

[Down Arrow]+[Cmd] - Move cursor to end of \$Text (in \$Text pane)

[Down Arrow]+[Cmd]+[Shift] - Extend selection to end of \$Text (in \$Text pane)

[Down Arrow]+[Opt] - Move cursor to end of current paragraph, then end of next paragraph (in \$Text pane)

[Delete Back]+[Cmd] - Text window - Delete to beginning of line (from cursor)

[Delete Back]+[Opt] - Text window - Delete to beginning of word (from cursor) or delete previous word

[Delete Forward]+[Cmd] - Text window - Delete to end of line (from cursor)

[Delete Forward]+[Opt] - Text window - Delete to end of word (from cursor) or delete next word

[Return] - Create Note

[Return] - Exit create/rename dialog

[Return] - Edit-in-place mode - Exit mode

[Return]+[Shift] - Create child Note (as last sibling)

[Return]+[Shift] - Edit-in-place mode - exit and create a new note

[Return]+[Opt]+[Shift] - Create child Note (as first sibling)

[Return]+[Ctrl] - Edit-in-place mode - split title at insertion point

[Return]+[Cmd]+[Shift] - Remove Line Breaks

[Return]+[Cmd]+[Shift] - Rename

[Return]+[Fn] - Rename (Ctrl+C == Enter == Fn+Return)

[Double-click] - Create Note (in Outline/Map/Chart/Treemap when no note selected)

[Double-click] - Open Note (in Outline/Map/Chart/Treemap when a note selected) - note a different result if an Outline icon is double-clicked

[Double-click]+[Outline Note icon] - Hoist

[Double-click] + Roadmap sidebars - shift view focus to target note

[Double-click]+[selected Map container icon] - Drill down (double click must be in viewport area of icon)

[Tab] - Outline: Demote current selection

[Tab] - Text window - Cycle key attributes

[Tab] - Find view -Toggle focus input box/list items

[Tab] - Edit-in-place mode - exit mode and select next note in OutlineOrder

[Tab]+[Opt] - Text window - Toggle focus text<->first key attribute (Explorer view: \$Text -> first key attribute -> left pane current item -> \$Text)

[Tab]+[Opt] - Explorer: Toggle focus

[Tab]+[Opt] - Toggle focus \$Text -> first key attribute -> left pane current item -> \$Text

[Tab]+[Shift] - Outline - Promote current selection

[Tab]+[Shift] - Edit-in-place mode - exit mode and select previous note in OutlineOrder

[Enter] - Rename (Ctrl+C == Enter == Fn+Return)

[Enter] - Edit-in-place mode - exit mode and open create/rename dialog

[Enter] - Enter/Leave Edit-in-place mode (selected note in main view pane)

[Esc] - Stop creating a link (when link drag is active)

[Esc] - Clear typeahead buffer (major/minor views using typeahead)

[Esc] - Edit-in-place mode - exit edit mode.

[Home] - Scroll \$Text to start of note \$Text without moving insertion point (in \$Text pane)

[End] - Scroll \$Text to end of note \$Text without moving insertion point (in \$Text pane)

[Page Up] - Scroll \$Text up one page, by \$Text pane size, without moving insertion point (in \$Text pane)

[Page Down] - Scroll \$Text up down page, by \$Text pane size, without moving insertion point (in \$Text pane)

[Cmd] - Force toggle Select tool

[Cmd]+[drag select] - Select text in read-only notes.

[Cmd]+[Opt] - Highlight links (Note text windows only)

[Cmd]+[Opt] - Underline links (Note text pane only)

[Cmd]+[Opt]+[click] - (in link anchor text) follow link, i.e. open target note

[Cmd]+[Opt]+[click] - (in CamelCase word) follow link to word's note or offer to create note if not present.

[Cmd]+[Opt]+[drag] - Selected note(s) - create alias(es)

[Option] - Toggle Select Area tool

[click] - On link in \$Text, follows link

[click]+[Ctrl] - Open context menu (OS feature)

[Note text]+[click]+[Cmd]+[Opt] - Create/follow TinderWiki links

[Outline disclosure triangle]+[click]+[Cmd] - Show/hide siblings (toggle)

[Outline disclosure triangle]+[click]+[Cmd]+[Opt] - Expand/Collapse All Containers (toggle)

[Outline disclosure triangle]+[click]+[Opt] - Expand All Descendants (toggle)

[View selection]+[click]+[Cmd] - Add/remove item

[View selection]+[click]+[Shift] - Expand selection

[Mouse wheel] - Vertical Map Scroll

[Mouse wheel]+[Shift] - Horizontal Map scroll

[Mouse wheel]+[Ctrl] - zoom screen (OS feature: System Prefs-> Accessibility)

[Outline icon]+[Double-click] - Hoist

[drag]+[Cmd]+[selection] - Duplicate (works on multiple objects selections)

[drag]+[Cmd]+[Opt]+[selection] - Make alias (works on multiple object selections)

[drag]+[Option] - Select output code (only HTML export & text export views)

[drag]+[Option] - Selected note(s) - create copy(-ies)

[drag]+[Shift] - Timeline view maintain date (horizontal position) dragging between timebands (from v5.6.0)

[F2]+[Fn] - Toggle focus to/from menu bar (toggle to selects Apple menu)

[Fn][Fn] - Start Dictation (tap key twice for OS dictation function)